

®

Clarke

## **FM** Floor Polishers



[www.clarkeus.com](http://www.clarkeus.com)

**Clarke**®

*Cleaning Power Since 1916.*

# *FM - The Best Polisher In The Industry!*



Shown with  
4 Gallon  
Solution  
Tank



Quality and durability have allowed the FM Polisher to be called the "Best in the Industry." The motor and gearbox are hand built and backed by an exclusive 7 year warranty.


*Pad Driver And Pads*



*Concrete Grinding Assembly*




*Various Brushes Available For Any Application*



*Wood Floor Sanding Disc*






### ***The FM Features and Benefits Include:***

- Rugged planetary drive system features helical-cut gears for ultra-smooth power transmission.
- Dual independent micro-switches reduce down time.
- Exclusive dihedral handle design reduces operator fatigue.
- Die cast aluminum housing is five times stronger than sand castings.
- Chrome handle tube resists rust - lasts longer.
- Non-marking, vinyl bumper protects walls and furniture.

# FM Floor Polishers

# Clarke®



## Key Features

- Quality and durability have allowed the FM Polisher to be called the “Best in the Industry”
- The motor and gearbox are hand built and backed by an exclusive 7 Year Warranty
- Multiple sizes and horsepower to fit any application requirement

SPECIFICATIONS	FM 2300	FM 2000	FM 1700	FM 1500
Part Number	01018A	01016A	01014A	01013A
Brush Diameter	23" (58.4cm)	20" (50.8cm)	17" (43.2cm)	15" (38.1cm)
Brush Speed RPM	175 RPM			
Motor 115V/230V	1.5 hp	1 hp		
Gear System	Dual Planetary			
Power Cable	50 ft. (15.2m)			
Frame	Die Cast			
Brush Shroud	Aluminum Alloy			
Wheels	5 x 1.75 in. (12.7 x 4.445 cm) non-marking cushion			
Machine Weight	126 lbs. (57.2 kg)	107 lbs. (48.5 kg)	102 lbs. (46.3 kg)	98 lbs. (44.5 kg)
Shipping Weight	145 lbs. (65.8 kg)	117 lbs. (53.0 kg)	110 lbs. (49.9 kg)	104 lbs. (47.2 kg)
Warranty	7 Year Parts & Labor			
Agency Listing	No	cULus		

## PRODUCT

- Chromed handle tube resists rust
- Planetary drive system uses precision needle bearings for long life
- Dual independent micro-switches reduces down time

## EASE OF USE

- Dual switch levers make operating with either handle a snap
- Machined steel helical cut gears provide smooth, quiet operation

## PRODUCTIVITY

- Rugged 1 hp motor with 1.25 service factor provides extra power for grinding, sanding and carpet cleaning as well as polishing and scrubbing

## SAFETY

- cULus listed
- Hospital grade plugs have soldered wire terminals and hardened ground plug - resists damage and keeps operator safe

## ACCESSORIES/OPTIONS

- Various brushes for all applications
- Pad drivers
- Solution tank assembly (PN 508641)
- Concrete grinding adapters
- Wood floor sanding adapters
- Floor pads for all applications
- See your authorized Clarke® distributor for a full listing of accessories

## Clarke®

2100 Hwy. 265  
Springdale, AR 72764  
[www.clarkeus.com](http://www.clarkeus.com)

DISTRIBUTED BY:

Customer Relations: 1.800.253.0367  
Fax Orders to: 1.800.825.2753  
Technical Service: 1.800.356.7274

©2005 ALTO U.S. Inc., All Rights Reserved. Specifications subject to change without notice. P/N 71086A Rev. 04/06

