



Super 7R & B-2+ Edgers

- Powerful 1 hp motor
- Polished aluminum alloy housing
- Precision balanced sanding pads
- Quick-release dust bag
- Vacuum-ready dust pipes
- Carrying case included



Because Pride Still Matters.

A Nilfisk-Advance Brand

Clarke[®]
American Sanders


Super 7R Edger

The Super 7R is a powerful, versatile, and easy to use wood floor edging machine that has earned its reputation as an industry leader. With a new dust pipe design, a quick release dust bag, and the ability to attach directly to a vacuum, this edger continues to outpace the competition.

- Hardened steel pinion with brass drive gear reduces vibration
- Precision-balanced sanding pad produces finer finish
- Powerful 1 hp motor maintains speed under the heaviest cutting conditions
- Rotating dust pipe swivels 210 degrees to allow access to tight spaces
- Quick release dust bag that slides on and off with a simple twist and pull
- Easily attached to 1-1/2 inch or 2 inch vacuum hoses for improved dust containment



Rotating dust pipe allows the dust bag or hose connection to move freely during operation. The Super 7R pipe rotates 210° and the B-2+ pipe rotates 260°.



Patented quick release bag uses an interior rib to secure itself to the dust tube. No strings needed.



The channel feature in the dust tube securely locks the dust bag in place, yet allows it to be removed with a simple twist and pull.

B-2+ Edger

The professional's choice for 50 years, the B-2+ offers a 3,200 RPM setting for fast aggressive cutting and a 2,800 RPM setting for greater precision. With a new dust pipe design that allows this machine to be attached directly to a vacuum, as well as a new and innovative quick release bag design, this edger will remain the professional's preferred machine.

- Powerful 1 hp motor maintains speed under heaviest cutting conditions
- Long-lasting graphite brushes for extended brush and armature life
- Precision-balanced sanding pad produces finer finish
- Rotating dust pipe swivels 280 degrees for access to closets and tight spaces
- Innovative quick-release dust bag saves time and removes the hassle of strings
- Easily attached to 1-1/2 inch or 2 inch vacuum hoses for improved dust containment



Replace the bag with the hose adaptor and the edger can be easily hooked up to a 1-1/2 inch vacuum hose.



The new dust control features can be purchased as a retro-fit kit for other Super 7R and B-2+ models.



Non-marking urethane wheels are available as accessories for your Super 7R and B-2+ edgers.



SPECIFICATIONS		Super 7R		B-2+	
Part Number	07125A (115 V)	07126A (230 V)	07127A (115 V)	07128A (230 V)	
Electrical Motor	1 hp Universal, 4 pole			1 hp Universal, 2 pole	
Disc Size	7 in (17.8 cm)			7 in (17.8 cm)	
Disc Speed	2,800 RPM			2,800 RPM (low) 3,200 RPM (high)	
Cable	50 ft (15.2 m) grey rubber			50 ft (15.2 m) grey rubber	
Size (L x W x H)	16 in x 11 in x 12 in (38 cm x 28 cm x 21 cm)			16 in x 10 in x 13 in (38 cm x 25 cm x 35 cm)	
Machine Weight	30 lb (14 kg)			33 lb (15 kg)	
Shipping Weight	46 lb (21 kg)			46 lb (21 kg)	

Specifications are subject to change without notice.

For more than 60 years, flooring contractors around the world have relied on the Super 7R and B2+ floor edgers for their aggressive cutting action and superior dust pickup.

Today these industry benchmarks continue the Clarke American Sanders tradition of quality and reliability.

What the edgers do best?

- Aggressive cutting path
- 2,800 - 3,200 RPM edging power
- Rotating dust pipe swivels up to 280°
- Durable polished aluminum housing
- Innovative dust bag

What are the safety features?

- Onboard light
- Transparent plug has power indicator light
- Dust skirt prevents airborne dust (B-2+)

What are the accessories?

- Extra sandpaper
- Quick-release dust bags
- Non-marking urethane wheels
- Drive pads



14600 21st Avenue North • Plymouth, MN 55447-3408
Phone: 800.253.0367 • Fax: 800.825.2753

240 Superior Boulevard • Mississauga, Ontario, Canada L5T 2L2
Phone: 800.668.8400 • Fax: 800.263.5111

©2009 Nilfisk-Advance, Inc. All rights reserved. P/N 70901A 8/09

Clarke®
American Sanders