

American SANDERS

An AMANO Company

WOOD FLOOR SPECIALISTS **1903**



2024 Product Catalog

WOOD FLOOR SPECIALISTS SINCE 1903

American Sanders began in 1903 as The American Floor Surfacing Machine Company and built the first floor sanding machine on record with the U.S. Patent Office. Over one hundred years later, American Sanders remains the worldwide leader in the design and production of wood floor sanders and edgers for the professional contractor as well as the do-it-yourselfer. Today we continue this heritage with innovative equipment designs focusing on performance, reliability and user ergonomics while furthering our investments in state-of-the-art product testing facilities, quality enhancement processes and upgraded production methods.



1920

1998

2020

- Pride Program 2
- Training Program 4
- M A C H I N E S**
- Belt & Drum 6
- Legend 8
- Rotary 14
- Orbital 16
- Edgers 18
- Dust Containment 20
- C H E M I C A L S**
- AMP Anti-Microbial Protection 22
- TimberGuard 24
- A P P L I C A T I O N S**
- Disinfecting Wood Floors 26
- Concrete Floor System 27
- A C C E S S O R I E S**
- Rotary Head Options 28
- Parts & Accessories 30

CUSTOMER SERVICE

Here at American Sanders, we offer world class customer service. Contact us by calling 1-800-367-3550 (U.S.) or +1 336-372-8080 (international). You can also reach us at www.americansanders.com/contact



Compass stair edger launched
Gym Vac Launched



Being the leading manufacturer of wood floor sanders for more than a century takes dedication, long hours, commitment, and most of all, pride in what we do.

The American Sanders Pride program is a formal recognition of our commitment to design, performance, reliability and customer service.

We take that responsibility seriously and are committed to continuously improving upon our innovative equipment design, performance, reliability and customer service.

The Pride Program Includes: *

60-Day Satisfaction Guarantee

Correct or replace an American Sanders machine with unsatisfactory defect in workmanship or parts.

New Product Registration System

A simple process to register a machine, give feedback, and get FREE swag.

Quality Management System

Comments, questions or concerns get response within two business days.

Benefits For The Contractor: *

Be a part of improving your industry

Sharing your experience, good or bad, helps us to understand what is important to you on the job site, and to learn where we could make improvements.

Have confidence in your sanding machines

We have a commitment to design, performance, reliability and customer service so that you can have confidence in your machines on the job site.



*** Visit americansanders.com to:**

- Get the complete details on the American Sanders Pride program
- Register your machine warranty
- See how to receive exclusive FREE swag

BE
THE BEST
YOU CAN
BE



AMERICAN SANDERS TRAINING FACILITY
CHARLOTTE, NC



American Sanders *Sand & Finish Schools* provide thorough hands-on training courses designed to enhance your current skill set as a wood floor craftsman. Whether you are an experienced craftsman or just getting started as a sand and finish contractor, the American Sanders training classes can help you become the best that you can be.

American Sanders *Machine Maintenance & Trouble Shooting School* trains contractors on preventative maintenance and minor repairs on edgers and belt sanders. Maintenance on other machines can be covered as requested. This class is intended for wood floor contractors who maintain their own equipment, or want to learn how to make their equipment provide optimal service for many years.

American Sanders *Service Technician* classes cover a range of repairs applicable to the American Sanders line of equipment. This class is reserved for technicians currently employed by our dealers. In order to attend this school, your application must be approved by your American Sanders sales representative.

The American Sanders Training Program is led by Daniel Boone. A second-generation wood floor contractor, Daniel has over 45 years of experience in the wood floor industry, working first for his father and then establishing his own business in 1982. As the former Technical Director at the National Wood Flooring Association (NWFA), Daniel created a national curriculum for the wood flooring education program, and he has trained over 10,000 students around the world.

Learn more about our American Sanders Training Schools.
<https://americansanders.com/resources/professional-training>

WORLD-RENOWNED BELT & DRUM SANDERS



Legend Belt Sander

The new standard in belt sanders.

- Enhanced chassis system
- Drum pressure adjustment from 50 to 90 lbs.
- 4hp (6.5hp peak) continuous duty motor
- Optional colors, accessories, and custom ordering available

SEE ALL PRODUCT DETAILS ON PAGE 8



FloorCrafter Belt Sander

The benchmark machine for many years: a versatile, high performance 8" belt sander.

- Precision balanced drum
- Patented one-tool leveling adjustment
- Recessed drum door
- Patented dolly transport system
- "Feathering" drum control handle



American 12 Drum Sander

Most aggressive and productive 12" drum sander available for gyms and ballrooms.

- 4HP (1ph) motor or 10HP (3ph) motor
- Cast aluminum frame
- Totally enclosed dust-free motor
- Removable dust pipe
- Urethane wheels
- "Feathering" drum control handle



EZ-8 Drum Sander

8" drum sander, easy transport for small jobs and challenging access.

- 1.5HP/120V motor
- Removable dust pipe
- Detachable handle
- Expandable or clamp style drum
- No-slip cogged belts
- Cast aluminum frame and housings

Legend 8" BELT SANDER

PERFORMANCE ENGINEERING

This innovative machine delivers aggressive cutting capability and smooth operation, resulting in exceptionally flat floors.

Cuts Fast & Flat

Powerful 4HP (6.5HP Peak) Continuous Duty Motor

Easy Drum Pressure Adjustment

- 5 Settings (50, 60, 70, 80, 90 lb)
- Tune your machine for specific job site conditions or personal preference



Enhanced Chassis Suspension System

A balanced system of compression and extension springs provides superior stability, helping to eliminate side cutting, wave, and chatter on damaged and uneven floors



Dual Mode Feathering Handle



Drum and Top Roller System

Advanced engineering provides an aggressive cut while requiring minimal operator maintenance.

- "V" Crown, dynamically balanced upper roller
- Precision balanced drum with cooling slots
- Simple, fast, precise paper alignment
- Vented paper door facilitates dust collection, reduces buildup on upper roller



Laser Guide for Enhanced Sight Lines



JOB SITE EFFICIENCY

From monitoring critical functions, reducing dust in the work space, simple and effective machine set up, to easily transporting the machine, the Legend helps to reduce the time and energy on any typical job site.

Monitor Critical Functions

- Digital Run-Time Meter
- Digital Volt Meter
- On-Board Circuit Breaker



Transport Your Machine With Care & Ease

Onboard Transport Dolly

- Can be left on machine without fear of rubbing the wall
- Remove or attach in seconds



Multi-Use Transport Handle

- Carry the motor or carry the frame



Tool-Free Quick Release Motor Mount

- Just Pull and Rotate two D rings to loosen the motor in seconds




Optional Stair Climber Dolly

- One-person transport of the machine and motor up and down stairs



Control Center with Intuitive Power Switch and USB Charge Port



Ergonomics To Reduce Fatigue

Optional Adjustable Height Handle:

Adjustable height handle provides ergonomic comfort to reduce fatigue for operators of all sizes.

- 4 Settings
- Lowest Setting: 33.6" from floor
- Highest setting: 37.9" from floor



Exceptional Functionality

Dust-Free Bag Connection

- Check valve connector prevents dust release when bag is disconnected
- Also accepts drawstring bag or vacuum hose
- Dust tube rotates freely or can be locked in place

Dual Poly-V Belts

- Reduced vibration
- No need to loosen belt tension in between jobs

Tool-Free Belt Tension Release



Bright White LED Work Light

Reduced Noise Level

Onboard Tool Kit

CREATE YOUR CUSTOM *Legend*

In addition to the legendary performance engineered into this machine, you can order a Legend to satisfy your personal style and your individual needs.

Color Choices

- Standard machine is black with maple wood handles
- Choose Red, White, Blue, Gold or Black components
 - Frame
 - Control Handle Cover
 - Drum Paper Door
 - Belt Cover
 - Light Cover
 - Laser housing
- Choose Maple, Red Oak, or Walnut wood handles
 - Control Handle
 - Lifting Handle
- Mix and match colors and woods



Wood Handle Options (Walnut, Maple, or Oak)



Optional Stair Climber Dolly

A functional dolly to allow one person to move the motor and the frame up and down stairs.



Order your custom Legend belt sander online at americansanders.com/Legend. You can order a base machine or configure a custom machine with color choices and optional accessories.



- Select colors for each component
- Select handle wood type
- See 360° view of your custom machine
- Confirm your order summary & click "Order now"

American Sanders will call to confirm your order. Your custom machine will ship directly to you. Machines and accessories can also be purchased at your local American Sanders distributor.



Optional Adjustable Height Handle

Adjustable height handle provides ergonomic comfort to reduce fatigue for operators of all sizes.

- 4 Settings
- Lowest Setting: 33.6" from floor
- Highest setting: 37.9" from floor



— SPECIFICATIONS —

| | |
|------------------------------------|--|
| Motor | 6.5 hp peak / 4 hp continuous 208 - 230 V / 60 Hz 240 V / 50 Hz (3 hp / 2.2 kW) |
| Drum Size | 8 in |
| Drum Pressure (5 Positions) | 50, 60, 70, 80, 90 lb |
| Wheels | Molded urethane wheels - 4 in Caster - 3 in split-type |
| Power Cable | 50 ft. gray, non-marking, rubber |
| Transport | Patented Dolly Transport System |
| Dimensions | 35 x 14 x 37 in |
| Weight | 200 lb |
| Shipping Weight | 290 lb |
| Warranty | Machine: Parts & Labor - 1 yr* *Excludes consumable wear items |



Epoch Rotary Sander

Dual speed, multi-purpose machine provides versatility and high performance productivity.

- High torque 60-amp DC-rectified motor
- Dual speed functionality
- Adjustable 25-lb weight kit
- Bright, flexible LED light
- Dust control ready
- Heavy duty 6" wheels
- Exclusive tilt-back wheel system



Epoch HD Rotary Sander

230V Dual speed, multi-purpose machine provides versatility and high performance productivity.

- 230V, 2.5HP motor
- 16" and 20" models
- Dual speed capability
- Adjustable 25-lb weight kit
- Bright, flexible LED light
- Dust control ready
- Heavy duty 6" wheels
- Exclusive tilt-back wheel system



RS-16 & RS-16DC Rotary Sander

Lightweight rotary sander that is easy to use, even on aggressive sanding jobs.

- Powerful, 1.5HP motor
- Dust control ready model
- Smooth and rugged steel planetary gear systems
- Transparent safety plug with light
- Grip face pad driver supplied



1600DC Rotary Sander

Versatile, low maintenance rotary machine.


- Powerful, fully enclosed 1.5HP motor
- Smooth operation
- Dust control ready
- Gray, non-marking transport wheels
- 5-Year warranty



FM-2000 Floor Maintainer

Versatile, low maintenance rotary machine.

- Use on multiple floor types
- For sanding, polishing, scrubbing, and grinding
- 20" pad driver
- 360 Degree non-marking bumper
- Ultra smooth power transmission



POWERFUL VERSATILE ROTARY SANDERS



Related Products

See Rotary Head Options On Page 28

The Epoch line of rotary sanders are dual-speed, multi-purpose machines designed to meet the many demands of wood floor sanding. Used on low speed, the machines can be used as a traditional buffer for intercoat abrasion, fine finishing and polishing, or stain application. Used on high speed with the HydraSand, the Epoch acts as a planetary sander, abrading and flattening floors.

ORBITAL SANDERS FOR FINESSE & PRODUCTIVITY



The random-orbital sanding action of the OBS-18 and OBS-18DC removes the scratch patterns left by drum or rotary sanders, leaving a smooth, flat floor ready for refinishing. At 3,600 orbits per minute, the OBS-18 sands faster than any other orbital sander available. With torque-less operation for enhanced operator comfort, the OBS-18 and OBS-18DC are perfect for interim "screen and recoat" and fine finish sanding jobs.



OBS-18DC Orbital Sander

Random-orbital sander with on-board dust containment system.

- 3,600 Orbits/min
- Totally enclosed, fan-cooled motor
- Heavy duty cast aluminum frame
- Independent dust pick-up fan (DC)
- Dust containment ready
- Transparent safety plug with light



OBS-18 Orbital Sander

Random-orbital sander removes scratch patterns, leaves a smooth floor ready to finish.

- 3,600 Orbits/min
- Totally enclosed, fan-cooled motor
- Heavy duty cast aluminum frame
- Transparent safety plug with light



EZ-Sand Orbital Sander

Compact triangular design perfect for tight spaces and easy transport.

- Three-motor, triple sanding heads
- Self contained dust containment or attach to external vac
- Modular design for storage and transport
- Dust skirt



Compass by American Sanders is a brand-new lightweight machine designed around sanding stair treads and risers. The Compass delivers aggressive sanding performance in a uniquely compact and versatile package.



• **For Stair Edging.**

- Rotating handle and balancing wheel make sanding stair treads and risers a breeze
- Optimized cut angle greatly reduces sanding time on risers and treads
- Bottom slip plate allows for stability and maneuverability on stairs

• **For Floor Edging.**

- Compact, lightweight package ideal for tight spaces
- Leaves about a quarter-size area in the corners to scrape
- Low profile nose allows reach under toe kicks
- Removable caster assembly provides added stability for floor edging

• **For Productivity.**

- 1/2 HP Motor
- 5" Hook & loop paper
- Vacuum ready, excellent dust pickup
- Integrated light strip provides excellent work visibility
- Glass-reinforced nylon construction makes this machine strong and durable



Super 7R Edger
Edger of choice for over 50 years.

- 120V, 1HP motor
- 2800 RPM
- Precision-balanced 7" disc
- Vac ready dust control



EZ-E Extension Edger
Ideal for hard to reach areas.

- 8" or 13" interchangeable sanding deck
- 2800 RPM with 7" disc (8" ext.)
- 3200 RPM with 5" disc (13" ext.)
- Tool-free caster adjustment
- Vac ready dust control



B-2+ Edger
Two-Speed motor offers versatility.


- 2 speed, 1 HP motor
- 2800 RPM, 3200RPM
- Precision-balanced 7" disc
- Vac ready dust control



**NEW
PRODUCT**

Edger Dolly
Carries your weight while edging floors.

- Two-way adjustable seat
- Full swivel, non-marking casters
- Convenient tool storage tray
- Hanging hooks for storage and transport



**POWERFUL
EDGERS BUILT
WITH PRIDE**

The EZ-E Extension Edger is the perfect tool for tackling the most difficult edging challenges, including toe-kicks and radiators. Available in 8" and 13" interchangeable configurations, the EZ-E gives you the reach needed to deliver beautiful results. The EZ-E can be run with the included quick release dust bag or can attach directly to a vacuum and comes with a soft case for storage and transport.

DUST CONTAINMENT FOR CLEAN JOBSITES



AVAC 26 Vacuum
High performance dust containment system.

- Three 800 watt, dual stage motors
- 26-gallon capacity
- Dual 2" intake ports
- Clear lid to monitor tank
- Reusable or disposable filters
- H.E.P.A. filter available

American Sander dust containment systems are designed and engineered to help professional wood floor contractors collect and contain sawdust from all sanding machines. All of these units provide optimal performance in each size category and are built to last for years. From the high efficiency Q-10 backpack to the 2,500 CFM Gym Vac, American Sanders can hook you up for a clean job site.



AVAC 18 Vacuum
High performance mid-size dust containment system.

- Two 800-watt, dual stage motors
- Robust 18-gallon canister
- Clear lid to monitor tank
- Reusable or disposable filters
- H.E.P.A. filter available



AVAC 12-P Vacuum
High-end filtration, compact size.

- 120V, 2-stage motor
- 131 CFM suction
- Large, 12-gallon capacity
- Exceptional filtration
- Use with wide range of machines or floor wand



AVAC Q-10 Vacuum
Rugged, lightweight back pack.

- Great for screen and re-coat applications
- Rotary or orbital sanders
- Includes 5 stage filtration when H.E.P.A. installed



DC400L Dust Containment System
Designed for full isolation of work debris, the DC400L is an excellent choice for dust containment on wood and concrete projects. The HEPA level triple filtration and longopac bagging system meet the requirements of the OSHA silica dust rule (29 CFR 1926.1153) for concrete floor polishing.

- Advanced Filtration:
 - 3-Stage HEPA filtration
 - Meets OSHA silica rule requirements
 - 99+% filter efficiency
 - Switch-operated reverse pulse filter cleaning system
 - Longopac format allows for near-continuous use without dust exposure
- 2 motors provide strong pickup
- Efficient size for big machine performance



Gym Vac
The American Sanders Gym Vac connects directly to gym floor rider sanding machines to provide large volume dust collection, eliminating the need for traditional canvas dust collection bags.

- 230V, 3-phase, 3HP motor
- 2,500 CFM suction
- No dust bags on sanders improves driver line-of-sight and reduces dust exposure
- One-person set up and break down



FINISHES THAT INHIBIT THE GROWTH OF BACTERIA ON THE FLOOR SURFACE



AMP™ AntiMicrobial Protection is a chemical technology in TimberGuard™ finishes that inhibits the growth of bacteria.

Bacteria on floors is a common source of odor and stains. **AMP** is an advanced technology within the floor finish that inhibits the growth of stain and odor causing bacteria on the floor surface.



Inhibits The Growth Of Bacteria



Continuous AntiMicrobial Protection 24/7



Reduces Odors & Stains



EPA Registered Antimicrobial Ingredient

American Sanders **TimberGuard** floor finishes with **AMP** technology provide continuous antimicrobial protection from the moment the floor finish is dry, 24/7 for the usable life of the finish. No chemical mixing or non-standard floor preparation is required. This unique application of technology inhibits the growth of odor and stain causing bacteria on a cellular level, preventing bacterial microorganisms from feeding, growing, and reproducing.

AMP ANTIMICROBIAL PROTECTION

is available in
TimberGuard, TimberGuard PRO, & TimberGuard SELECT .

See these product descriptions on page 25.



The application of floor finish with AMP technology is not a substitute for normal cleaning practices.

PROFESSIONAL WOOD FLOOR FINISHES



COMMERCIAL & RESIDENTIAL FLOOR FINISHES

TimberGuard wood floor finishes are water-based finishes with selections for high-traffic commercial to light-traffic residential applications. All TimberGuard finishes are low VOC formulas, provide quick dry times, and are water soluble for easy cleanup.



TimberGuard Pro

Premium protection with industry leading durability.

- 2K urethane formula
- Colorless
- Resists scuff marks and scratches
- Ideal for commercial or high-traffic residential

Available Sheens:
Super Matte, Satin, Semi-Gloss, High Gloss



TimberGuard

Excellent on high traffic floors.

- 1K urethane formula
- Colorless
- Excellent durability

Available Sheens:
Super Matte, Satin, Semi-Gloss, High Gloss



TimberGuard Select

Ideal for residential and light commercial floors.


- 1K urethane/acrylic formula
- Excellent flow characteristics
- Colorless
- Excellent durability

Available Sheens:
Super Matte, Satin, Semi-Gloss, High-Gloss




INDUSTRY-LEADING DURABILITY!


Taber Abrasion Durability Results



Taber Abrasion testing performed by third party independent laboratory.



Taber Abrasion testing performed by third party independent laboratory.



Taber Abrasion testing performed by third party independent laboratory.

CLEANERS

The TimberGuard line of floor cleaners is formulated for all wood floor cleaning tasks ranging from daily maintenance to removing all contaminants in preparation for a re-coat.



TimberClean

All purpose wood floor cleaner.

- Removes dust and light soils
- Use with auto scrubber or mop
- Dries quickly
- No residue



TimberClean Deep Scrub

Industrial grade cleaner.

- Cleans aggressively
- Can be used with an automatic scrubber
- Evaporates quickly to protect wood surfaces
- Essential for re-coat applications



TimberClean Daily

A daily spot cleaner.

- Cleans without damaging the finish
- Does not penetrate wood
- Leaves no residue
- Environmentally preferred



TimberClean Mop Kit

Daily cleaner with mop.

- Safe on wood, laminate, and other hard surfaces
- Complete floor maintenance kit

SEALERS & BONDING AGENTS

TimberGuard sealers and bonding agents are optimized for sealing or re-coating of all wood floors and water-based finishes. These products are an essential part of achieving a premium wood floor finish.



TimberSeal

Optimizes adhesion, protects against tannin bleed.

- Specially formulated to prevent tannin bleed
- 34% solids
- Flows easily and provides a solid build layer
- Seal and finish in one day



TimberBond

For dust-free re-coating.

- Ensures good bond between finish layer and the floor
- High coverage rate
- Dries quickly, saving time

DISINFECTING & CLEANING WOOD FLOORS

Keeping wood floors clean not only contributes to longevity of the floor finish, it also contributes to having a clean and healthy household. Disinfecting wood floors is simple and EFFECTIVE using the right products.

Disinfecting the floors is a great added value service to offer your customers.



DISINFECTING WOOD FLOORS

Pioneer Eclipse MeridiClean™ is a concentrated germicidal disinfectant cleaner that leaves behind a subtle Fresh citrus scent.

CLEANING WOOD FLOORS

TimberClean products are effective all-purpose cleaners safe to use on all wood floors finished with polyurethane or acrylic coatings.

TimberClean Daily (712) is a ready-to-use version that comes in a convenient spray bottle.

TimberClean (713) is a concentrate to mix with just water for everyday cleaning.

CLEANING & DISINFECTING CHEMICALS



TimberClean
All purpose wood floor cleaner.

- Removes dust and light soils
- Use with auto scrubber or mop
- Dries quickly
- No residue



TimberClean Daily
A daily spot cleaner.

- Cleans without damaging the finish
- Does not penetrate wood
- Leaves no residue
- Environmentally preferred



MeridiClean™ All Purpose
Cleaner & Disinfectant .

- Effective against SARS-COV-2
- Bactericide, Fungicide, Virucide
- Neutral pH
- Pleasant citrus fragrance

CONCRETE RESTORATION

Transform those raw concrete patios, garages, and basements with a high gloss polished floor. It's a simple process using the Epoch rotary sander with a sequence of diamond discs to repair, prep, and then polish to the level of gloss desired.

Restoring and polishing concrete can be an additional revenue source using the machine and the skills of a wood floor contractor.



CONCRETE CHEMICALS & TOOLS



HardCore
Densifying Treatment

- Increases durability
- Prolongs shine
- Improves stain resistance



LockOut
Hard Floor Protector

- Hardens & protects floors
- Superior stain protection
- Burnish to a high gloss shine




ReClaim
Hard Floor Cleaner & Maintainer

- Seals & protects as it cleans
- High stain resistance
- High cleaning performance of oil based contaminants



Eclipse
Penetrating Sealer

- Durable protective barrier on porous surfaces
- Non-film forming
- Excellent oil & water repellancy



Concrete Prep Tool
56383930



Mastic Removal Tool
56383926



HydraShine
SAQ31900



PowerPolish HT Pads
PDPPT1700

PowerPolish Diamond Discs



100 Grit
DP320100K5



200 Grit
DP320200K5



400 Grit
DP320400K5



800 Grit
DP320800K5



1800 Grit
DP3201800K5



3500 Grit
DP3203500K5

ROTARY HEAD OPTIONS

| Part Number | Description | Sander 1600 | RS-16 (DC) | Epoch Epoch HD | Epoch HD-20 | FM-2000 | Recommended Use |
|-------------|----------------------------|-------------|------------|----------------|-------------|---------|--|
| SA031600 | HydraSand | • | • | • | | | Hardwood floor sanding. |
| SA035400 | HydraSand 20 | | | | • | • | Hardwood floor sanding. |
| AS059000 | Advanced Surfacing Brush | • | • | • | | | For wire brush surfacing technique. |
| 460908 | Polishing Brush | • | • | • | | | Hard surface polishing. |
| 51705A | Polypro Scrub Brush | • | • | • | | | Medium grit scrub brush. |
| 460918 | Steel Wire Brush | • | • | • | | | Coating removal, surface prep, or ice removal. |
| 460215 | Sanding Pad Driver | • | • | • | | | Used to drive 16" sandpaper. |
| 500212 | Grinding Pad | • | • | • | | | Concrete grinding or surface prep. |
| SA031900 | Hydrashine | | | • | | | Diamond polishing. |
| 56383926 | Mastic Removal Tool | • | • | • | | | Coating removal. |
| 56383930 | Concrete Prep Tool | • | • | • | | | Surface prep for applying coatings or adhesives. |
| 37007A | Super Grip Padded Driver | • | • | • | | | Foam backer for smooth operation in both wet and dry applications. |
| 53158A | Perma-Grip Pad Driver | • | • | • | | | Repairable, thick pad holder for dry applications. |
| 37008A | Super Grip Pad Driver | • | • | • | | | Foam backer for smooth operation in both wet and dry applications. |
| 10242A | Pad Driver | • | • | • | | | Great for dry, thin pad applications. |
| MP481100 | Pad Driver, 16" | • | • | • | | | Economical pad driver for wet applications. |
| 30638A | Pad Driver, 17" | • | • | • | | | Bristled pad holder for wet applications. |
| MP478400 | Pad Driver, 19" | | | | • | • | Economical pad driver for wet applications. |
| 50866A | C2K Pad Driver, 19" | | | | • | • | Economical pad driver for wet applications. |
| 53156A | Perma-Grip Pad Driver, 19" | | | | • | • | Repairable, thick pad holder for dry applications. |
| 37011A | Super Grip Pad Driver, 19" | | | | • | • | Foam backer for smooth operation in both wet and dry applications. |
| 480206 | Sanding Pad Driver, 19" | | | | • | • | Used to drive 19" -20" sand paper. |
| 51707A | Polypro Scrub Brush | | | | • | • | Medium grit scrub brush. |

Advanced Surfacing Brush
AS059000
use with Epoch HD, RS-16DC, Sander 1600



HydraShine
SA031900
use with Epoch HD




HydraSand
SA031600
use with Epoch, Epoch HD, RS-16DC, Sander1600

Mastic Removal Tool
56383926
use with Epoch HD, RS-16DC, Sander 1600



HydraSand-20
SA035400
use with Epoch HD 20, FM-2000



Concrete Prep Tool
56383930
use with Epoch HD, RS-16DC, Sander 1600

Super Grip Padded Driver
37008A
use with Epoch, Epoch HD, RS-16DC, Sander1600



Clamp Drum
13501A - American 8
13500A - American 12
13507A - EZ-8

FloorCrafter Drum
20015A - FloorCrafter

PARTS & ACCESSORIES

DRUM MACHINES

| Part Number | Description |
|-------------|---|
| 50992A | Urethane Truck Wheel for FloorCrafter, American 8, American 12 |
| 61333A | Urethane Castor Wheel American 8, American 12 |
| 30088A | Transport Base for FloorCrafter and American 8 |
| 53560A | Leather Operator's Belt |
| 50954A | Standard Dust Bag |
| 56383241 | Steel wheel kit, converts American 8 & 12 machines with urethane wheels to steel wheels |
| 13500A | Drum for American 12 |
| 51021A | Drum belt for American 12 Drum |
| 51028A | Fan belt for American 12 Drum |
| 13501A | Drum for American 8 |
| 51024A | Drum belt for American 8 Drum |
| 50920A | Fan belt for American 8 Drum |
| 13507A | Drum for EZ-8 |

ROTARY MACHINES

| Part Number | Description |
|-------------|---|
| 460215 | 16" Aluminum Backed Sanding Hard Plate w/2" Center Hole |
| 30638A | 17" Pad driver, tufted short-trim |
| AS003500 | 5" Foam Pad (HydraSand) |
| AS003400 | 5" Pad Driver (HydraSand) |
| AS026100 | 5" metal discs with hook backing for HydraSand |
| 30725A | Dust skirt, RS-16DC & Epoch |
| 10240A | Dust skirt, Sander 1600 |
| MP505700 | 17" Dust adapter for FM |
| MP505800 | 20" Dust adapter for FM |
| 10252A | Sander 1600 light assembly |
| 50793A | Sander 1600 wheel |
| 39857A | RS-16 wheel |
| 30638A | Pad Driver |
| AS059000 | Advanced Surfacing Brush |
| SA031600 | HydraSand |
| SA035400 | HydraSand-20 |

DUST CONTAINMENT

| Part Number | Description |
|-------------|---|
| TMB428244 | Filter Cartridge, AVAC 12 |
| TMB428680 | Filter Cartridge, HEPA for AVAC 12 |
| TMB445841 | Filter Cartridge, AVAC 12-P |
| TMB442337 | Filter Cartridge, HEPA for AVAC 26 |
| TMB225163 | Reusable filter bags (3) for AVAC 26 |
| TMB225161 | Standard Accessory Kit - Tapered fittings, S wand, Felt floor tool, Horse Hair Bristle tool, Plastic extension wand, Crevice tool. |
| AS012100 | 1.5" Premium Wand and Tool kit; includes horsehair brush floor tool, felt floor tool, wand, metal crevice tool, dust tool, mesh accessory bag |
| AS012000 | 1.5" wand and tool kit; includes brush floor tool, specialty floor tool, 2-piece wand, crevice tool, dust tool, mesh accessory bag |
| 1471385500 | Dust Brush, 3 in (7.5 cm), 1.5 in. (38 mm) fitting |
| 30647A | 14" plastic floor brush tool |
| 658821 | 15" bristle shod tool |
| 638820 | 14" Felt Shod Tool - Aluminum |
| TMB439678 | Microfiber wood floor tool |
| 11597 | 1.5" (36mm) Hose Cuff |
| 10330A | 25 feet X 1.5 inch (36mm) crush proof vac hose w/swivel coupling |
| 30563A | Adapter 2" Tube x 1.50 Cuff |
| 53718A | Dust pipe elbow to connect the FloorCrafter to vacuum hoses |
| 52466A | Velcro hose/cord strap |

Wand and Tool Kit
AS012000



LED Bulb
AS010200
use with Super 7R, B-2+

EDGERS

| Part Number | Description |
|-------------|--|
| 53544C | Dust bag - CE7 |
| 53544B | Dust bag - Super 7R & B-2+ |
| 39875A | Multi purpose tool, CE7 |
| 987300 | Wrench, Super 7R |
| 68705A | Wrench, B-2+ |
| 64601A | Wrench holder, B-2+ |
| 39865A | Caster and yoke assembly w/non-marking wheels, CE7 |
| 30666A | Urethane wheel assembly for Super 7R & B-2+ (includes wheel, bearings, and yoke) |
| 12203A | Caster assembly, B-2+ |
| 12208A | Caster assembly, Super 7R |
| 10212A | Steel wheel & yoke assembly, Super 7R & B-2+ |
| AS035800 | Carrying case for Super 7R & B-2+ |
| 10827A | Dust pipe kit for Super 7R (includes exhaust bracket, dust tube, hose cuff, and quick release bag) |
| 10828A | Dust pipe kit for B-2+ (includes exhaust bracket, dust tube, hose cuff, & quick release bag) |
| 21066A | Super 7R sanding drive pad |
| 21067A | B-2 sanding drive pad |
| 40583A | B-2+ carbon brush w/ wire |
| 40900A | B-2+ carbon brush, no wire |
| 40818A | Super 7R carbon brush w/ wire |
| 300904 | Super 7R carbon brush, no wire |
| 50932A | Super 7R brush spring clip |
| 47394A | Switch, Super 7R |
| 62411A | Paper retaining bolt, B-2+ |
| 40920A | Light Bulb (Incandescent) Super 7R & B-2+ |
| AS010200 | Light Bulb (LED) Super 7R and B-2+ |
| SA035200 | EZ-E 8" Extension Kit |
| SA035300 | EZ-E 13" Extension Kit |

POWER ACCESSORIES

| Part Number | Description |
|-------------|------------------------|
| 40590A | Power Booster |
| 40590C* | Power Booster (Canada) |
| MP524900 | PowerLab 120 |
| MP524910* | PowerLab 120 (Canada) |



Power Booster
40590A, 40590C*

Tool Kit
10332A
FloorCrafter



BELT MACHINES

| Part Number | Description |
|-------------|--|
| AS045200 | Dust Bag w/Check Valve, complete, Legend |
| AS045100 | Dust Tube, Legend |
| AS050400 | Drum belt for Legend |
| AS050500 | Fan belt for Legend |
| AS055200 | Drum for Legend |
| 50992A | Urethane Truck Wheel for FloorCrafter, American 8, American 12 |
| 19611A | Urethane Castor Wheel for FloorCrafter |
| 53718A | Dust pipe elbow to connect the FloorCrafter to vacuum hoses |
| 10142A | Dust tube elbow for FloorCrafter |
| 53560A | Leather Operator's Belt |
| 50954A | Standard Dust Bag |
| 30088A | Transport Base for FloorCrafter and American 8 |
| 20015A | Drum for FloorCrafter |
| 51024A | Drum belt for FloorCrafter |
| 51039A | Fan belt for FloorCrafter |
| 10244A | Upper roller assembly for FloorCrafter |
| 42200A | Cord Set - Hard Service, 50ft, FloorCrafter |
| 42201A | Cord Set - Hard Service, 100ft, FloorCrafter |
| 10332A | FloorCrafter Tool Kit |
| 10392A | Transport Dolly - Floorcrafter |
| 10237A | Transport Dolly - Hummel |

ORBITAL MACHINES

| Part Number | Description |
|-------------|------------------------------|
| 53741A | Dust Bag for EZ8 & OBS-18 |
| 56380336 | Dust Pipe Seal for OBS-18 |
| 18445A | Dust skirt for OBS-18 |
| 53544C | Dust bag, EZ-Sand |
| 30685A | Dust skirt, EZ-Sand |
| 18446A | Skirt asm., 3DS |
| 56942A | Drive pads, 3DS |
| 54931A | Lifting handle, 3DS |
| 56382756 | 8" disc hook, box of 25, 3DS |
| 50927A | Drive belt, 3DS |



WOOD FLOOR SPECIALIST ON YOUR JOBSITE

Request a hands-on product demonstration by contacting your American Sanders Regional Sales Manager or online at americansanders.com/contact-us. We'll bring the machines and finishes to you.

WOOD FLOOR SPECIALISTS ON THE WEB

Your access to online training, live school registrations, product specifications and videos, and to purchase products is online at americansanders.com





American Sanders | 1 Eclipse Road, Sparta, NC 28675
800.367.3550 | +1 336.372.8080
www.americansanders.com

2024