



SAFETY DATA SHEET
708: TWO COMPONENT - COATING

Conforms to 1910.1200
 Issued: April 10, 2026
 Supersedes: May 20, 2020

TIMBERGUARD PRO™

1: IDENTIFICATION

Product Name: TimberGuard Pro Wood Floor Finish- Super Matte
 TimberGuard Pro Wood Floor Finish - Satin
 TimberGuard Pro Wood Floor Finish - Semi-Gloss
 TimberGuard Pro Wood Floor Finish - High Gloss

Product Number: 708M
 708S
 708SG
 708HG

Recommended Use: Two component wood floor coating
 To be used with TimberGuard Pro Hardener.
 Product intended for commercial and industrial use only.

Uses Advised Against: Other than per labelled instructions

Manufacturer Address:
 Amano Pioneer Eclipse Corporation
 P.O. Box 909
 1 Eclipse Road
 Sparta, NC 28675
 Telephone: 1-336-372-8080
 Email: sds@pioneereclipse.com
 Internet: www.pioneereclipse.com

FOR CHEMICAL EMERGENCY: Spill, Leak, Fire, Exposure or Accident. Call CHEMTREC Day or Night.
 Within USA and Canada 1-800-424-9300. Outside USA and Canada 1-703-527-3887 (collect calls accepted)

2: HAZARDS IDENTIFICATION

Classification: Reproductive Toxicant - Category 1B

Signal Word: DANGER

Pictogram:



Hazard Statements:
 May damage fertility or the unborn child.

Precautionary Statements:
 Obtain special instructions before use.
 Do not handle until all safety precautions have been read and understood.
 Wear protective gloves, protective clothing, eye protection and face protection.
 If exposed or concerned: Get medical advice/attention.
 Store locked up
 Dispose of contents/container in accordance with local, regional, national, international regulation.

Other Hazards: None known

Supplemental Information: None known

3: COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS Number	Weight % *
diethylene glycol monoethyl ether	111-90-0	1 - 5
n-methyl-2-pyrrolidone	872-50-4	1 - < 4

* Exact concentration of the ingredients has been withheld as a trade secret.

4: FIRST AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

Eye Contact: Rinse with plenty of water. If irritation develops and persists, seek medical attention.
Skin Contact: Wash with soap and plenty of water. If irritation develops and persists, seek medical attention.
Inhalation: If breathing is difficult, remove to fresh air. If symptoms persist, seek medical attention.
Ingestion: If ingested, do not induce vomiting. Seek medical attention.



SAFETY DATA SHEET

708: TWO COMPONENT - COATING

Conforms to 1910.1200
Issued: April 10, 2026
Supersedes: May 20, 2020

TIMBERGUARD PRO™

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Eye Contact: None expected under normal use.
Skin Contact: None expected under normal use.
Inhalation: None expected under normal use.
Ingestion: None expected under normal use.

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

Treat symptomatically.

5: FIRE-FIGHTING MEASURES

Suitable Extinguishing media: Dry Chemical, water spray, foam, carbon dioxide
Specific Hazards: Materials can splatter above 212 °F / 100 °C
Protective Equipment and Precautions: No special fire fighting procedures recommended. Follow all general fire safety guidelines.

6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Put on personal protective equipment (see Section 8). Keep spectators away. Floors may be slippery: use care to avoid falling.
Environment Precautions: Keep spills and cleaning run-off out of sewers and open bodies of water.

CONTAINMENT AND CLEAN-UP

Small Spills: Absorb spill with inert material (e.g. sand, earth) and dispose of as waste material in accordance with local, state and federal regulations.
Large Spills: Dike and contain spill with inert material (e.g. sand, earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for disposal.
Waste Disposal: Landfill or incinerate the contaminated solids and diking material in accordance with local, state and federal regulations. Non-salvageable liquid should be drummed and disposed of in accordance with local, state and federal regulations.

7: HANDLING AND STORAGE

Precautions for Safe Handling: Avoid exposure during pregnancy. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Use in well-ventilated areas. Use only with adequate ventilation and personal protection.
Conditions for Safe Storage: Storage temperature (Max. 60°C/140°F - Min. 1°C/34°F).
Other Information: Keep from freezing. Keep container sealed when not in use. Keep out of reach of children.

8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits: None
Engineering Controls: Use only with adequate ventilation. Use local ventilation and other engineering controls to maintain airborne contaminants below established and recommended exposure limits. If this product contains ingredients with exposure limits, monitoring may be required to determine the effectiveness of ventilation and other control measures.
Personal Protective Equipment (PPE)
Eye/Face Protection: Wear eye protection.
Skin Protection: Wear chemical resistant gloves.
Respiratory Protection: Respiratory protection should be worn when there is a potential of inadequate ventilation. If exposure limits are exceeded or symptoms are experienced, use an approved respirator.
Hygiene Measures: Handle in accordance with good industrial hygiene and safety practice.

9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid
Color: Milky white
Odor: Characteristic



SAFETY DATA SHEET
708: TWO COMPONENT - COATING

Conforms to 1910.1200
 Issued: April 10, 2026
 Supersedes: May 20, 2020

TIMBERGUARD PRO™

Melting Point/Freezing Point:	Data not available
Boiling Point/Boiling Range:	Data not available
Flammability:	Not applicable
Upper/Lower Flammability Limits:	Data not available
Flash Point:	>200 °F / >93 °C
Auto-Ignition Temperature:	Data not available
Decomposition Temperature:	Data not available
pH:	7.8
Viscosity:	< 100 centipoise @ 68 °F (20 °C)
Solubility:	Miscible in water
Partition Coefficient:	Data not available
Vapor Pressure:	Data not available
Density:	8.6 - 8.7 lb/gal @ 68°F / 1.03 - 1.04 kg/l @ 20°C
Vapor Density:	Data not available
Particle Characteristics:	Not applicable
VOC:	< 275 g/L

10: STABILITY AND REACTIVITY

Reactivity:	Not reactive under normal conditions
Stability:	Stable under normal conditions
Hazardous reactions:	None expected under normal conditions.
Conditions to avoid:	None known under normal conditions.
Incompatible materials:	Do not mix with other chemicals unless stated on the product label.
Hazardous decomposition products:	None known

11: TOXICOLOGICAL INFORMATION

HEALTH EFFECTS

Skin contact:	None expected under normal use. May cause mild irritation.
Eye contact:	None expected under normal use. May cause mild irritation.
Inhalation:	None expected under normal use.
Ingestion:	None expected under normal use.

ACUTE TOXICITY:	Based on available data, classification criteria are not met.
ATE _{mix} (oral):	> 2000 mg/kg
ATE _{mix} (dermal):	> 2000 mg/kg
ATE _{mix} (inhalation):	> 20 mg/l (4 hr/vapor)

SKIN CORROSION/IRRITATION:	Based on available data, the classification criteria are not met.
SERIOUS EYE DAMAGE/IRRITATION:	Based on available data, the classification criteria are not met.
RESPIRATORY OR SKIN SENSITIZATION:	Based on available data, the classification criteria are not met.
GERM CELL MUTAGENICITY:	Based on available data, the classification criteria are not met.
CARCINOGENICITY:	Based on available data, the classification criteria are not met.
REPRODUCTIVE TOXICITY:	Classified as Reproductive Toxicant- Category 1B* May damage fertility or the unborn child.
STOT-SINGLE EXPOSURE:	Based on available data, the classification criteria are not met.
STOT-REPEATED EXPSURE:	Based on available data, the classification criteria are not met.
ASPIRATION HAZARD:	Based on available data, the classification criteria are not met.



SAFETY DATA SHEET

708: TWO COMPONENT - COATING

Conforms to 1910.1200
 Issued: April 10, 2026
 Supersedes: May 20, 2020

TIMBERGUARD PRO™

COMPONENT INFORMATION

Component	LD50 Oral-Rat (mg/kg)	LD50 Dermal - Rabbit (µl/kg)	LC50 Inhalation-Rat (mg/l)
diethylene glycol monoethyl ether	1920	4200	>5240
n-methyl-2-pyrrolidone	< 5000	> 5000	> 40, 4 hr

Carcinogenicity: Components are not known to be classified as carcinogens. (IARC, NTP, OSHA)

12: ECOLOGICAL INFORMATION

Ecotoxicity: Ecological testing has not been completed on the mixture.
Persistence and Degradability: Data not available.
Bioaccumulative Potential: Data not available.
Mobility in Soil: Data not available.
Other Adverse Effects: Data not available.

13: DISPOSAL CONSIDERATIONS

It is the responsibility of the end user to determine, at the time of disposal, if the waste solution meets the criteria for hazardous waste.
 Disposal of this material should be in accordance with local, regional and national regulations.

14: TRANSPORT INFORMATION

This product is not classified as hazardous for transportation.

15: REGULATORY INFORMATION

U.S. REGULATIONS/REPORTING:

Ingredient	CAS Number	SARA 302/304	SARA 313	CERCLA
diethylene glycol monoethyl ether	111-90-0	not listed	present*	***
n-methyl-2-pyrrolidone	872-50-4	not listed	present	not listed

STATE RIGHT-TO-KNOW STATUS:

Ingredient	CAS Number	MA - RTK	NJ - RTK	PA - RTK	RI - RTK
diethylene glycol monoethyl ether	111-90-0	not listed	not listed	present*	not listed
n-methyl-2-pyrrolidone	872-50-4	present	present	present	present

CALIFORNIA PROPOSITION 65:

WARNING: This product can expose you to n-Methylpyrrolidone, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Ingredient	CAS Number	Weight %
n-Methylpyrrolidone	872-50-4	< 5%

CANADA REGULATIONS/REPORTING:

SOR/2015-17: Hazardous Product Regulations

This product has been classified in accordance with the hazard criteria of the HPR. This SDS contains the information required by the HPR.

NPRI Substance List:

Ingredient	CAS Number	Part #	Reporting Threshold
other glycol ethers and acetates	NA-45	Part 5	1 tonne air release
n-methyl-2-pyrrolidone	872-50-4	Part 1A	10 tonnes MPO

16: OTHER INFORMATION

Abbreviations Used:

ATE(mix) Acute Toxicity Estimate (mixture)
 CAS Chemical Abstract Service Number
 CERCLA Comprehensive Environmental Response, Compensation and Liability Act
 HPR Hazardous Products Regulations



SAFETY DATA SHEET 708: TWO COMPONENT - COATING

Conforms to 1910.1200

Issued: April 10, 2026

Supersedes: May 20, 2020

TIMBERGUARD PRO™

IARC	International Agency for Research on Cancer
LC50	Median Lethal Concentration
LD50	Median Lethal Dose
NPRI	National Pollutant Release Inventory
NTP	National Toxicology Program Report on Carcinogens
OSHA	Occupational Safety and Health Administration
SARA	Superfund Amendments and Reauthorization Act
SDS	Safety Data Sheet
VOC	Volatile Organic Compound
*	Listed as generic class Glycol Ethers
***	No RQ assigned, CERCLA hazardous substance

Revision Information:

April 10, 2026 - Revisions § 1, 3, 8, 9, 10, 11, 13, 15 & 16

Health:	2
Flammability:	0
Reactivity:	0

Neither this data sheet nor any statement contained herein grants or extends any license, expressed or implied, in connection with patents issued or pending which may be the property of the manufacturer or others. The information in this data sheet has been assembled by the manufacturer based on its own studies and the work of others. The manufacturer makes no warranties, expressed or implied, as to the accuracy, completeness or adequacy of the information contained herein. The manufacturer shall not be liable (regardless of fault) or the vendee, the vendee's employees or anyone for any direct, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnish of such information.

This SDS has been provided to you in accordance with the OSHA Hazard Communication Standard (29CFR1910.1200).

****IMPORTANT SAFETY INFORMATION**DO NOT DISCARD**PLEASE ROUTE TO COMPANY SAFETY OFFICER****